

Champion

Series of Case Sealers



Finish First with Champion

Champion 700-20

FEATURES

- Two- 502 Easy Load 2" Tape Heads (Top & Bottom Seal)
- Top Tape Head Can Be Repositioned For Off Centre Seal
- A Set Of 4 Locking Casters
- Top Squeezers Keep Carton Square Before Taping
- Pop Out and Interchangeable Tape Heads
- Adjustable Legs from 22"-32" with Casters (Custom Lengths Available)
- Infeed Table (16" in Length)
- Exit Table (16" in Length)

Minimum Carton Capacity

4.75"L x 4"W x 4.75"H
(Custom carton sizes available)

Maximum Carton Capacity

~ L x 20"W x 20"H
(Custom carton sizes available)

Electricity Required

120 V, 60hz, 10amp

Belt Speed

77 Feet per minute

Machine Footprint

67.5"L x 33.5"W x 53.25"H
(Length includes tables)

Machine Shipping Weight

385 lbs. (on a pallet)



Champion 700-BF

FEATURES

- One- 502 Easy Load 2" Tape Heads (Bottom Seal only)
- Optional Minor Flap Folding Shoe
- Pop Out Bottom Tape Head
- Adjustable Legs from 22"-32" with Casters (Custom Lengths Available)
- Exit Table (16" in Length)
- A Set Of 4 Locking Casters

Minimum Carton Capacity

4.75"L x 4"W x 4.75"H
(Custom carton sizes available)

Maximum Carton Capacity

~ L x 20"W x 20"H
(Custom carton sizes available)

Electricity Required

120 V, 60hz, 10amp

Belt Speed

77 Feet per minute

Machine Footprint

92"L x 33.5"W x 53.25"H
(Length includes tables)

Machine Shipping Weight

450 lbs. (on a pallet)



Champion 800-20

FEATURES

- Two- 502 Easy Load 2" Tape Heads (Top & Bottom Seal)
- Top Tape Head Can Be Repositioned For Off Centre Seal
- A Set Of 4 Locking Casters
- Top Squeezers Keep Carton Square Before Taping
- Pop Out and Interchangeable Tape Heads
- Adjustable Legs from 22"-32" with Casters (Custom Lengths Available)
- Infeed Table (16" in Length)
- Exit Table (16" in Length)

Minimum Carton Capacity

4.75"L x 5.5"W x 4.75"H
(Custom carton sizes available)

Maximum Carton Capacity

~ L x 20"W x 20"H
(Custom carton sizes available)

Electricity Required

120 V, 60hz, 10amp

Belt Speed

77 Feet per minute

Machine Footprint

64.5"L x 29.75"W x 57.25"H
(Length includes tables)

Machine Shipping Weight

385 lbs. (on a pallet)



Champion 700-RD

FEATURES

- Two- 502 Easy Load 2" Tape Heads (Top & Bottom Seal)
- Air Operated Side Belts & Double Columns (60p.s.i. @ 4 CFM required)
- A Set Of 4 Locking Casters
- Pop Out and Interchangeable Tape Heads
- 3 Possible Machine Settings: Standard Random, Memory Random and Uniform
- Adjustable Legs from 26.75"-36.75" with Casters (Custom Lengths Available)

Minimum Carton Capacity 4.75"L x 4"W x 4.75"H (Custom carton sizes available)	Maximum Carton Capacity ~ L x 24"W x 24"H (Custom carton sizes available)
Electricity Required 120 V, 60hz, 10amp	Belt Speed 77 Feet per minute
Machine Footprint 45.5"L x 40.5"W x 61"H (Length does not include optional tables)	Machine Shipping Weight 630 lbs. (on a pallet)



Champion 800-RD

FEATURES

- Two- 502 Easy Load 2" Tape Heads (Top & Bottom Seal)
- Air Operated Side Guide Rails and Top Carriage (60p.s.i. @ 4 CFM required)
- A Set Of 4 Locking Casters
- Tilt Bed
- Pop Out and Interchangeable Tape Heads
- 3 Possible Machine Settings: Standard Random, Memory Random and Uniform
- Adjustable Legs from 26.75"-36.75" with Casters (Custom Lengths Available)

Minimum Carton Capacity 4.75"L x 5.5"W x 4.75"H (Custom carton sizes available)	Maximum Carton Capacity ~ L x 20"W x 20"H (Custom carton sizes available)
Electricity Required 120 V, 60hz, 10amp	Belt Speed 77 Feet per minute
Machine Footprint 46"L x 36.5"W x 61.5"H (Length does not include optional tables)	Machine Shipping Weight 525 lbs. (on a pallet)



Champion 700-FC

FEATURES

- Two- 502 Easy Load 2" Tape Heads (Top & Bottom Seal)
- Carton Indexing and Gating (80 p.s.i. @ 4 CFM required)
- A Set Of 4 Locking Casters
- Pop Out and Interchangeable Tape Heads
- Top Squeezers Keep Carton Square Before Taping
- Adjustable Legs from 22"-32" with Casters (Custom Lengths Available)

Minimum Carton Capacity 4.75"L x 4"W x 4.75"H (Custom carton sizes available)	Maximum Carton Capacity 24"L x 20"W x 20"H (Custom carton sizes available)
Electricity Required 120 V, 60hz, 10amp	Belt Speed 77 Feet per minute
Machine Footprint 77"L x 35"W x 67"H (Length does not include optional tables)	Machine Shipping Weight 750 lbs. (on a pallet)



Champion 502 Tape Head

Champion 502 Tape Head comes standard with dual side plates



Snap on tape reel keeps the tape roll centred to give maximum tape adhesion to carton surface

Tape silencer reduces excessive noise and assists with tape unwind



One way knurled brass roller keeps tension off tape application area to prevent box crushing

Adjustable main spring for applying roller tension

Pre-lubricated bushings do not require oiling

Secondary wipe down brush= Better tape adhesion to the carton

Tape folding wheel and support clips will enhance crimping process to allow for different mil thicknesses of tape and prevent falling tape

Heavy-duty blade guard provides maximum safety-No more clumsy spring maintenance

Tab lengths can be set between 1" and 2" with one simple adjustment on the blade arm

Rubber sleeved rollers wipe tape tabs to the front and rear of the carton


Champion Options & Accessories



Box Shoe
Holds Carton in Place for Packing



Box Shoe
Shown Holding Carton in Place



Dual Tape Heads
Gives the ability to apply two strips of tape on top

